

**REQUEST FOR QUOTATION
RURAL MUNICIPALITY OF PINEY**

June-24-13

Three

10' x 14' Insulated Building

For

The Rural Municipality of Piney

Request for Quotation

Rural Municipality of Piney

Issue Date: June-24-13

Closing Date: July 26, 2013

Closing Time: 1:00pm CST

Interested parties are requested to quote on the following. The RM of Piney requires 3 – 10' x 14' Insulated Buildings (10'x10' room with 4'x10' porch) to be delivered and used as attendant shelters at the three municipally operated waste disposal sites within the RM of Piney.

Scope of Quotation:

A total of 3 – 10'X14' insulated buildings (10'x10' room with 4'x10' porch) are required by the RM of Piney and needed for the following three waste disposal grounds operated by the RM of Piney; Woodridge WDG, Piney WDG and Sprague WDG. All three buildings are to have the following specifications:

- Metal roof (Fern Green)
- Metal cladding (Light Stone)
- Trim (White)
- 2 – 30" x 36" Dual pane sliding windows
- Steel insulated man door
- Re-enforced door frame
- Dead bolt & lockable door set (Schlage)
- ½" Plywood interior; painted white
- Minimum interior height 8'
- Insulated: walls R12 and ceiling R20 with 6 mill vapour barrier
- 4"x6" skids
- Metal cladding for skirting (Light Stone)
- Wired, to include:
 - 1 outdoor receptacle
 - 2 indoor receptacle
 - 2 ceiling lights
 - 1 porch lights
 - 2 outdoor lights (two separate sides)
- Porch (4'x10')
 - 42" hand rail
 - Screened with aluminum bug screen
 - Screen door with spring hinges & lack
- Concept sketch attached

A design sketch is to be provided with the quote illustrating the style of building being priced. All prices are to be in Canadian Dollars.

Delivery date shall be prior to September 27, 2013, FOB Woodridge WDG, Piney WDG and Sprague WDG.

Completed quotations must be submitted by July 26, 2013 at 1:00pm to:

Rural Municipality of Piney
Attention: Martin Van Osch, C.A.O.
PO Box 48
Vassar, MB R0A 2J0
204-437-2284
Fax 437-2556
martin_rmpiney@wiband.ca

The outside of each quotation must be clearly labeled:

"Quotation for 10'x14' Insulated Building" submitted by _____.

CONCEPT SKETCH

