

Rural Municipality of Piney

Date: June 6, 2018

Addendum #1

To

REQUEST FOR QUOTATION

Sprague Fire Hall

Addition

Original RFQ:

Date of Issue: May 18, 2018

Date of Close: June 8, 2018

ADDENDUM NO. 1

To

REQUEST FOR QUOTATIONS

Sprague Fire Hall

Addition

The Rural Municipality of Piney is issuing this addendum to RFQ; Sprague Fire Hall Addition for the purposes of:

- Amending the RFQ.

Attached is (are):

- Amendments to the RFQ.

If you have any questions, contact:

Rural Municipality of Piney
Attention: Martin Van Osch, C.A.O.
PO Box 48
Vassar, MB R0A 2J0
204-437-2284

Date: June 6, 2018

A handwritten signature in blue ink, appearing to read 'M. Van Osch', is written over a solid horizontal line.

Martin Van Osch, CAO

Sprague Fire Hall RFQ addendum as follows:

Section	Page	Text
<u>Schedule "A"</u>		
Section 1.1	7	Building Design Criteria <ul style="list-style-type: none">▪ <i>the Rural Municipality of Piney shall obtain the Building & Development Permit;</i>
Section 1.2.1	7	Concrete Floor/Foundation <ul style="list-style-type: none">▪ <i>the proponent shall be responsible for all site preparation, including removal and disposal of the existing concrete entrance pad;</i>▪ <i>supply of granular base is the responsibility of the proponent;</i>
Section 1.2.1	13	Plumbing <ul style="list-style-type: none">▪ <i>air & plumbing lines are to be surface mounted;</i>
Section 1.2.1	13	Electrical <ul style="list-style-type: none">▪ <i>new overhead – 400 200 amp 120/240 volt 1 phase electrical service;</i>▪ <i>new 400 amp panel in addition;</i>▪ <i>existing 200 amp panel in the current fire hall to be set up as a sub-panel;</i>▪ <i>Manitoba Hydro relocation & connection fees are the responsibility of the Rural Municipality of Piney ;</i>▪ <i>electrical to be surface mounted; and</i>▪ <i>ventilation fan must be a minimum of 675 CFM</i>

Section 2.1.1

14

Concrete Floor Finish

- garage bay sloped to floor ~~drain~~ drains;
- *floor drains to be raised to accommodate the 4" resurfacing of concrete floor;*